



(ASPIRE)
پراجیکٹ منیجمنٹ بورڈ

حکومت بلوچستان

Goods Receiving Note: Science Lab Equipment's for Schools

نوٹ برائے وصولی:	تاریخ:
اشیاء وصول کرنے کی تاریخ:	ادارے کا نام / ترسیل کنندہ:
سکول کا نام: گورنمنٹ گریلز ہائی اسکول بارکھان	نام ترسیل کنندہ:
سکول کوڈ (BEMIS): 07143	M/s Sohail Scientific Store
یوسی: ناون	رابطہ نمبر:
ڈسٹرکٹ: بارکھان	0300-8241679

اشیاء کی تفصیلات

نمبر شمار	اشیاء کی تفصیلات	مقررہ تعداد	وصول کردہ اشیاء کی تفصیلات
1.	Science Lab Equipment's		وصول کردہ اشیاء کی تفصیلات
i.	Chemistry		وصول کردہ اشیاء کی تفصیلات
ii.	Physics		وصول کردہ اشیاء کی تفصیلات
iii.	Biology		وصول کردہ اشیاء کی تفصیلات

مقدار، تفصیلات اور تصاویر کے لحاظ سے مذکورہ بالا تمام اشیاء درست پائی جاتی ہیں۔

جی ہاں
نہیں

Head Mistress
Govt. Girls High School
Barkhan

نوٹ: استاد کی عدم تعیناتی کی صورت میں پی ٹی ایس ایم سی کے دوسرے موجود ممبر کا وصولی


دستخط / انگوٹھے کا نشان:	عہدہ: ہیڈ ماسٹرس	(1) نام انچارج / استاد: سنہریات بانو
رابطہ نمبر:		شناختی کارڈ نمبر: 56101-0442640-2
دستخط / انگوٹھے کا نشان:	عہدہ: ایس ایس ٹی	(2) نام والدین کمیٹی ممبر: صنوار قبائل بابی
رابطہ نمبر:		شناختی کارڈ نمبر: 56101-3871624

نوٹ:۔ ترسیل کنندہ کی ذمہ داری ہے کہ وہ وصول کنندہ کے نام، نمبر اور دستخط ضرور حاصل کرے۔ نیز ترسیل کنندہ کو ہدایت کی جاتی ہے کہ شام چار بجے کے بعد سکول میں کوئی اشیاء ترسیل نہ کرے۔

- استاد کو یہ بھی ہدایت کی جاتی ہے کہ سپلائی کی جانے والی اشیاء کو کسی بھی حالت میں سکول سٹاک رجسٹر میں درج کیا جائے۔ جس کا بعد میں معائنہ کیا جائے گا۔



List of detail of Items , Specifications &Quantities			
S. No	Item Name	Specifications	Quantity Received
1	96301335-Plan Mirror With Stand	Glass size 2x4 Belgium Good Quality Plastic Stand, Unit: No	10
2	96301042-Potassium Chloride	6 M= 74.55g/mol Melting Point: 773c Boiling Point: 1413c pH Value: 5.5-8 Cas No: 7447-40-7 BRANDED, Unit: 50 Gram:	1
3	96301049-Sodium Carbonate	M= 105.99g/mol Melting Point: 854c Boiling Point: 1600c pH Value: 11.5 Cas No: 497-19-8 BRANDED, Unit: 500Gram:	1
4	96301043-Potassium Hydroxide	M= 56g/mol Melting Point: 360c Boiling Point: 1320c pH Value: 14 Cas No: 1310-58-3 BRANDED, Unit: 500Gram:	1
5	96301044-Potassium Permanganate	6 M= 158.55g/mol Melting Point: 240c pH Value: 7-9 Cas No: 7722-64-7 BRANDED, Unit: 500Gram:	1
6	96301045-Powdered Zinc	M= 65.37g/mol Melting Point: 420c Boiling Point: 908c Cas No: 7440-66-6 BRANDED, Unit: 250Gram:	1
7	96301046-Silver Nitrate	M= 169.87g/mol Melting Point: 212c Boiling Point: 444c pH Value: 5.4-6.4 Cas No: 7761-88-8 BRANDED, Unit: 25Gram:	5
8	96301047-Soap	0 85gm Anti-Bacterial, Unit: Bars:	5
9	96301050-Sodium Chloride	M= 58.44g/mol Melting Point: 801c Boiling Point: 1461c pH Value: 6-9 Cas No: 7647-14-5 BRANDED, Unit: Kg:	2
10	96301051-Sodium Hydroxide	M= 40.00g/mol Melting Point: 323c Boiling Point: 1390c pH Value: 14 Cas No: 1310-73-2 BRANDED, Unit: 500Gram:	1
11	96301052-Sodium Metal	M= 22.99g/mol Melting Point: 97.8c Boiling Point: 889c Cas No: 7440-23-5 BRANDED, Unit: 100Gram:	5
12	96301053-Sodium Sulphate	M= 142.04g/mol Melting Point: 888c pH Value: 4.7 Cas No: 7757-82-6 BRANDED, Unit: 500Gram:	1
13	96301054-Sulphuric Acid	M= 98.08g/mol Boiling Point: 335c pH Value: 1-2 Cas No: 7664.93.9 BRANDED, Unit: Litter:	1
14	96301055-Strontium Chloride	M= 266.62g/mol Melting Point: 61c Boiling Point: 100 pH Value: 5-7 Cas No: 10025-70-4 BRANDED, Unit: 100Gram:	1
15	96301056-Suger	White Crystal, Unit: 500Gram:	1
16	96301057-Tollens Reagent	Prepared Solutions, Unit: 500ML:	3
17	96301058-Vinegar	40% Solution, Unit: Litter:	1
18	96301059-Battery Cells With Two Electrodes	1.5 Volt Toshiba Japan or equivalent, plastic case with 2 cell, Unit: Nos:	20
19	96301060-Beaker 50ml	Low form with spout made of borosilicate glass. Graduated. 50ML. Pyrex-Japan or Equivalent, Unit: Nos:	50
20	96301061-Beaker 100ml	Low form with spout made of borosilicate glass. Graduated. 100ML. Pyrex-Japan or Equivalent, Unit: Nos:	50
21	96301062-Beaker 250ml	Low form with spout made of borosilicate glass. Graduated. 250ML. Pyrex-Japan or Equivalent, Unit: Nos:	50


Head Mistress
Govt. Girls High School
Barkhan




22	96301063-Beaker 500ml	Low form with spout made of borosilicate glass. Graduated. 500ML. Pyrex-Japan or Equivalent, Unit: Nos:	30
23	96301064-Blue Litmus Paper	100 leaves of size 63.5x10mm wide approx. blue colors in plastic case , Unit: Packet:	5
24	96301066- Burette 50ml Rotaflow	With P.T.F.E Rota flow stopcock 50ML. Germany/Pyrex or Equivalent, Unit: Nos:	40
25	96301067-Capillary Tube	Pkt of 100Pcs German or Equivalent, Unit: Vail:	3
26	96301068-China Dish	Porceline 60cc China or Equivalent , Unit: Nos:	20
27	96301070-Cork Wooden	Small, Medium, Large Local, Unit: Nos:	24
28	96301071-Cotton Roll	500gms Surgical Local , Unit: No:	1
29	96301072-Delivery Tubes German Glass	Borosilicate glass dia 6mm German Glass Length 50cm, Unit: Nos:	60
30	96301073-Dropper	Dropper Glass with rubber teat 3ml China, Unit: Nos:	30
31	96301074-Pair of Tong	Made of Stainless Steel , Unit: No:	10
32	96301075-Filter Paper Whatman 12.5cm	Whatman r 12.5cm pack of 100 circles.No. 42 or Equivalent, Unit: Packet:	15
33	96301076-Forceps SS 4"	Export Quality Stainless Steel , Unit: Nos:	30
34	96301077-Funnel Glass	Made of borosilicate glass Having thick uniform wall heavy construction for greater mechanical strength and prolonged life with harder75mm Pyrex-Japan or Equivalent, Unit: Nos:	50
35	96301078-Fusion Tube	Borosilicate glass length 50mm thickness 3mm , Unit: Packet:	1
36	96301080-Glass Plates 4x4	5mm side edges Belgium or Equivalent, Unit: Nos:	20
37	96301081-Glass Stirrer Heavy	6" one side flate German Glass or Equivalent, Unit: Nos:	20
38	96301082- Graduated Cylinder	Made of borosilicate glass hexagonal base with spout 50ml Pyrex-Japan or Equivalent, Unit: No:	20
39	96301083-Graduated Flask	made of borosilicate glass with graduation mark fitted with glass stopper 100ml Pyrex-Japan or Equivalent, Unit: Nos:	20
40	96301084-Iron Stand Complete With Boss Head	Casted base finish in blue/black with tapped hole 10x1.5mm metric thread in the centre of one short side.Base plate size (200mm X 125mm) rod height 12x400mm. Clamp and Boshead China or Equivalent, Unit: Nos:	10
41	96301085-Knives	China 6" or Equivalent, Unit: Nos:	10
42	96301086-BarMagnet	Magnetic bar marked south and north pole red & blue color size 100 mm , Unit: Set:	36
43	96301088-Match Box	Pack of 10 Packets Each Packet Containing 100 Sticks Local, Unit: Nos:	20
44	96301089-Organic Waste Can	Local Dia 12" length 15" , Unit: Nos:	20
45	96301090-Digital Balance	Digital 0.0001gm 200gm Easy to read LED display with backlight, auto-0 Tracking, Low Battery Indicator in rechargeable Battery, SS Weighing Pan Dia 80mm Auto Colabration with extranal weight and over loading protection , Unit: Nos:	4


Head Mistress
Govt. Girls High School
Barkhan



46	96301091-pH Paper	pH 1-14. Roll in Plastic Dispenser German or Equivalent, Unit: Packet:	20
47	96301092-Pipettes 10ml	Graduated 10ml Pyrex or Equivalent, Unit: Nos:	50
48	96301093-Platinum Wire	for flame test, fused in two glass handle , Unit: Nos:	20
49	96301094-Red Litmus Paper	100 leaves of size 63.5x10mm wide approx. blue colors in plastic case , Unit: Packet:	10
50	96301095- Round Bottom Distillation Flask	Made of Borosilicate glass Iwaki- 250ml Pyrex or Equivalent, Unit: Nos:	10
51	96301096-Rubber Tubing Soft	Imported 4mm dia, Unit: Nos:	25
52	96301097-Sand Bath	4" Round Shape Copper Made, Unit: Nos:	20
53	96301098-Spatula	Stainless Steel double ended. Flat blades, polished. Size 150mm Spoon One Side, Unit: Nos:	30
54	96301099-Test Tube Holder	Plated spring steel wire holder with finger grip. 40 mm diameter and their alignment maintained by a wire collar. Overall length 16 cm , Unit: Nos:	20
55	96301100-Test Tube Racks	Tubes it has six vertical pin for drying tubes , Unit: Nos:	20
56	96301101-Test Tubes	Borosilicated Glass Heavy Wall, With Rim, With Strong Resistance two heat and chemicals 18x150mm Iwaki Pyrex or Equivalent, Unit: Nos:	200
57	96301102-Thermometer 110c	Yellow Back Zeal UK -10 to 110c or Equivalent, Unit: Nos:	20
58	96301104-Watch Glass	3" Dia Polished with ground edges Pak or Equivalent, Unit: No:	36
59	96301105-Water Condenser	Spiral Coil Reflex Size 24/29 Length, Unit: Nos:	2
60	96301106-Wire Gauze Asbourted 6"	G.I Wire Ceramic Centre Extra Strong Quality in Square Size 12x12mm, Unit: Nos:	20
61	96301107-Wash Bottle	Polyethalein, Translucent and unbreakable. Cap fitted with flaxeable polyethalien delivery tube 500ml, Unit: Nos:	20
62	96301108- Measuring Jug	Polypropylene White Transparent Autoclaveable 250ml with handle , Unit: Nos:	50
63	96301109-Gas Jar Lids with hole	Made of Pure Plastic Best Quality, Unit: No:	150
64	96301110-Gas Jar Lids without hole	Made of Pure Plastic Best Quality, Unit: No:	150
65	96301111-Dropping Bottle	Dropping bottles are made of LDPE (low density polyethylene) with excellent chemical resistance. These dropping bottles can accurately and reliably dispense a variety of reagents. The dropping bottles will repeatedly produce a measured drop, but only when squeezed., Unit: No:	6
66	96301112-Cork One Hole	Made of Rubber With One Hole, Unit: No:	100
67	96301113-Cork Two Hole	Made of Rubber With Two Hole, Unit: No:	100
68	96301114-Wolf's Bottle	Borosilicate glass, Unit: No:	40


Head Mistress
Govt. Girls High School
Barkhan




(ASPIRE)
پراجیکٹ مینجمنٹ بورڈ
محکمہ تعلیم
حکومت بلوچستان

69	96301115-Thistle Funnel	borosilicate glass, Unit: No:	40
70	96301116-Lab Cot	FABRIC - Made of 100 % cotton fabric. It's soft on skin, comfortable in both summer and winter, protects against stains, burns, and residue, Unit: No:	20
71	96301117-Hydrometer	hydrometer for all wine and beer makers. With 3 coloured scales: density, sugar content and potential alcohol degree. Range: 0.990-1.170 S.G. 0-360 g/l sugar. 0-20 % vol. pot. alcohol content. Large accurate model. Length: 26 cm. Width 3.00 cm Height 3.00 cm Length 30.00 cm Weight 0.06 kg, Unit: No:	3
72	96301118-Varnier Caliper	150mm 6" SS Body in 0.01mm With Plastic Case China or Equivalent, Unit: Nos:	3
73	96301119-Screw Gauge	Range 0-25mm X 0.01mm, Accuracy at 25mm is +/- .003mm with plastic case China or Equivalent, Unit: Nos:	3
74	96301120-Solid Cylinder	Brass Set of 3 Pcs, Unit: Set:	12
75	96301121- Metallic Wire	Thickness Dia 0.125mm , Unit: Kg:	1
76	96301122-Small Metallic Sphere	6.5mm to 125mm dia, Unit: Nos:	12
77	96301123-Angle Iron	2m Long With Steel Ball Local, Unit: Nos:	5
78	96301124-Wooden Stands	Having V- Shape Top Made of Shesham Wood, Unit: Nos:	10
79	96301125-Atwoods Machine	Complete Set with Weights , Unit: Nos:	2
80	96301126-Stop Watch Metallic Analogue	Analogue Diamond 1/10 Second China or Equivalent, Unit: Nos:	5
81	96301127-Free Fall Apparatus	Metalic Heavy Complete Set With Pulley , Unit: Nos:	5
82	96301128- Metallic Bob Set of 3 Pcs	Set of three different metal shape 25mm dia solid of one each Aluminium, iron, brass. Set of 3 Pcs, Unit: Nos:	5
83	96301129-Wooden Block Local	Pak or Equivalent, Unit: Nos:	10
84	96301130-Weight Box	With Fractional Weights China in plastic case or Equivalent, Unit: Nos:	40
85	96301131-Pulley S Type Heavy	Made of Brass Pak or Equivalent, Unit: Nos:	30
86	96301132-Spring balance	Plastic balance made of clear acrylic tube. Each range is colour coded for easy identification, and has dual scale graduated in both grams and Newton. The spring mechanism and working of the balance is clearly visible with provision for zero adjustment incorporated at the top. With suspension ring, 1N, 2.5N, 5N, 10N , Unit: Nos:	5
87	96301133-Horizontal Board Fixed With Three Pulleys	Made of Soft Wood With Brass Pulley Metalic Base with screw level, , Unit: Nos:	5
88	96301134-Pan	75mm Pak or Equivalent, Unit: Nos:	10
89	96301135- Slotted Weight With Hanger	Set of 5x10gm 50gm Made of Brass Pak or Equivalent, Unit: Set:	5

Govt. Girls High School
Barkhan



90	96301136-Meter Rod	100cm 1 Meter Long Wooden Local, Unit: Nos:	10
91	96301137-Wooden Wedge Having Sharp Blade	3" Local, Unit: Nos:	12
92	96301139-Protractor	China or Equivalent, Unit: Nos:	24
93	96301140-Inclined Plain	Mettalic inclined plane 16x10cm (length x Width) with pulley 22mm dia hanged to a Mettalic base 45x10cm (length x width) provided with linear scale along the inclined plane & a vertical, regular scale fixed to the base., Unit: Nos:	5
94	96301141-Steel Roller With Suspended pan	Made of Iron Pak Local or Equivalent, Unit: No:	10
95	96301142-Helical Spring Apparatus	With SS Scale & 5x20gm Brass Sloted Weight with pointer Fitted on Metalic Heavy Base Fine Quality Local, Unit: Nos:	10
96	96301143-Pippete filler	Imported, Unit: No:	4
97	96301144-Spherometer	Local, Unit: No:	6
98	96301145-IronStand With Clamp for hooks law	Casted base finish in blue/black with tapped hole 10x1.5mm metric thread in the centre of one short side.Base plate size (200mm X 125mm) rod height 12x400mm. With Clamp and Boshead , Unit: Nos:	10
99	96301146-Beaker Assorted	Low form with spout made of borosilicate glass. Graduated. 250ml (Qty=1), 500ml (Qty=1),1000ml (Qty=1) Pyrex or Equivalent, Unit: Set:	30
100	96301147-Small Wooden Bench	Local, Unit: Nos:	10
101	96301148-Syringe	5ml Disposable , Unit: Nos:	20
102	96301149-Polystrene Cups	With cover Pak Local or Equivalent, Unit: Nos:	24
103	96301150-Thermometer	-10 to 110c With Half Degree Mark Yellow Back Zeal UK or Equivalent, Unit: Nos:	15
104	96301151-Gas Burner	The Burner Tube is made of brass and mounted on pressed steel powder coated base. Base dia. Is 80mm. overall height of burner 130mm burner tube dia. 12mm suitable for LPG/Butane gas with stopcock, Unit: Nos:	10
105	96301152-Solid Lead Shots	Local, Unit: Kg:	1
106	96301154-Stirrer	Copper Pak or Equivalent, Unit: Nos:	10
107	96301155-Thread	Polyster Pak or Equivalent, Unit: Nos:	5
108	96301156-Split Cork Rubber	Pak Local or Equivalent, Unit: Nos:	20
109	96301157-Rubber Pad on Wooden base	Pak Local or Equivalent, Unit: Nos:	12
110	96301158-Concave Mirror	3" With Stand Metalic Dia 75mm, Unit: Nos:	6
111	96301159-Needles With Stands Upright	Metalic Pak Local or Equivalent, Unit: Nos:	50


Headmistress
Govt. Girls High School
Barkhan



(ASPIRE)
پراجیکٹ منیجمنٹ یونٹ
محکمہ تعلیم
حکومت بلوچستان

112	96301160-Knitting Needle	China or Equivalent, Unit: Nos:	12
113	96301161-Rectangular Glass Slab	3/4" Local, Unit: Nos:	40
114	96301162-Common Pins	China or Equivalent, Unit: Packet:	2
115	96301163-Drawing Board Pins	China or Equivalent, Unit: Packet:	2
116	96301164-White Paper A4 Size	A4 Size 80Gm AA Imported, Unit: Rim:	1
117	96301165-Semi Circular Glass Slab	3"x2"x3/4" Pak or Equivalent, Unit: Nos:	10
118	96301166-Light Ray Box Portable	Wooden Pak or Equivalent, Unit: Nos:	10
119	96301167-Drawing Board	One Side Soft With Rubber Sheet Pak 12"x14" or Equivalent, Unit: Nos:	15
120	96301169-Glass Prism	2" Pak Local or Equivalent, Unit: Nos:	12
121	96301170-Convex Lens	Focal Length 1=10cm to 20cm, 25mm Dia Local, Unit: Nos:	20
122	96301171-Voltmeter	Double Range 0-5V/0.3V Bench Type Packed in Foam china or Equivalent, Unit: Nos:	10
123	96301172-Ammeter	Double Range 0-3A/0.6A Bench Type Packed in Foam china or Equivalent, Unit: Nos:	10
124	96301173-Resistance Wire	Mounted on Wooden Board , Unit: Meter:	1
125	96301174-Rheostate	Sliding Contact 200 Ohms Mounted in Eureka Wire on Porceline Pipe With Terminal Brass Metalic Base, Unit: Nos:	8
126	96301175-Connecting Wires	Copper Pak or Equivalent, Unit: Kg:	2
127	96301176-Keys	One Way Brass Pak Local or Equivalent, Unit: Nos:	10
128	96301177-Standard Resistance 1 Ω ,2 Ω ,5 Ω , 10 Ω	Mounted on Plastic Case Local, Unit: Set:	10
129	96301178-Galvanometer	Range 30-0-30 In Foam Packing China or Equivalent, Unit: Nos:	10
130	96301179-Dry Cell With Box	1.5v Toshiba Japan or Equivalent, Unit: Nos:	50
131	96301180-High Resistance Box 5000 Ω ,	Fitted With Original Eureka Wire, Plug Patern Type Brass Contact Block in Wooden Case, Unit: Nos:	12
132	96301181-Low Resistance Box 200 Ω ,	Fitted With Original Eureka Wire, Plug Patern Type Brass Contact Block in Wooden Case, Unit: Nos:	12
133	96301183-Circular Coil (Fitted on Wooden Board)	Insulated Copper Wire, Fine Polished Board With Brass Terminals , Unit: Nos:	10
134	96301184-Power Supply	12Volt 2Amp DC Local, Unit: Nos:	10


Head Master
Govt. Girls High School
Barkhan



135	96301185-OR Gate Module	These Universal Digital Logic Gate modules are suitable to verify the digital logics and verification of the truth table. All the relevant digital logic input and output conditions are printed on the board. HI and LO output conditions are shown by Red and Green LEDs. Suitable to verify the OR GATE logic conditions. Al-Malik Pak or Equivalent, Unit: Nos:	10
136	96301186-AND Gate Module	These Universal Digital Logic Gate modules are suitable to verify the digital logics and verification of the truth table. All the relevant digital logic input and output conditions are printed on the board. HI and LO output conditions are shown by Red and Green LEDs. Suitable to verify the AND GATE logic conditions., Unit: Nos:	10
137	96301187-NOR Gate Module	These Universal Digital Logic Gate modules are suitable to verify the digital logics and verification of the truth table. All the relevant digital logic input and output conditions are printed on the board. HI and LO output conditions are shown by Red and Green LEDs. Suitable to verify the NOR GATE logic conditions., Unit: Nos:	10
138	96301188-NAND Gate Module	These Universal Digital Logic Gate modules are suitable to verify the digital logics and verification of the truth table. All the relevant digital logic input and output conditions are printed on the board. HI and LO output conditions are shown by Red and Green LEDs. Suitable to verify the NAND GATE logic conditions., Unit: Nos:	10
139	96301189-NOT Gate Module	These Universal Digital Logic Gate modules are suitable to verify the digital logics and verification of the truth table. All the relevant digital logic input and output conditions are printed on the board. HI and LO output conditions are shown by Red and Green LEDs. Suitable to verify the NOT GATE logic conditions., Unit: Nos:	10
140	96301190-LED Indicator Module	Pak or Equivalent, Unit: Nos:	10
141	96301191-Alarm System	Pak or Equivalent, Unit: Nos:	5
142	96301192-Smoke Sensor	Pak or Equivalent, Unit: Nos:	5
143	96301193-Thermistor	Pak or Equivalent, Unit: Nos:	5
144	96301194-Pully Board Stand	Size 14"x18" Lasani Lamination Sheet With Two Pulleys and 10x5=50gm Weight Plastic Base Best Quality , Unit: No:	20
145	96301196-Laser Light	The Laser beam profiler is a high precision, CCD based (for VIS / NIR) device to be used with lasers having wavelengths between 340nm and 1100 nm. Coupled with software package, the device can be used for quick and accurate characterization of lasers.:	1
146	96301197-Tuning Fork	Aluminium Tuning Forks , Unit: No:	40
147	96301198-Carbon Rod	"Made of high density squeezing graphite rod. Good lubricity, high temperature resistance, oxidation resistance. Acid and alkali resistance, strong thermal shock resistance. Good electrical conductivity, high mechanical strength. Used for metallurgy, machinery, electronics, chemical industry, light industry, etc. , They are perfect for electrodes in homemade batteries., Unit: No:	20


Govt. Girls High School
Barkhan



148	96301199-Resonance tube apparatus	determine wavelengths and velocity of sound can be easily and accurately obtained with this apparatus. Consists of a 90 cm graduated plastic resonating tube. The end of the tube is connected to an aluminum reservoir which slides along a vertical support rod to raise the water level to any level. The tube is of sufficient length to produce resonances for 1/4, 3/4, and 5/4 wavelengths of a 512 VPS tuning fork. Includes instructions for assembly and use. Tuning fork not included., Unit: No:	5
149	96301200-Electroplating apparatus	Hanger With Coper Plate And Iron Plate ONE Bulb Holder Wire Cell Holder Dray Cells , Unit: No:	25
150	96301201-Funnel Heavy for Filtration	Nine heavy Brass terminals lock type are provided to reduce the resistance to a minimum. The ends gaps are closed by removable Copper Binding pieces which are held in position by the terminals. Overall dimensions: 1.12m x 100mm x 50mm, including terminals.:	20
	96301208-Meter Bridge	100mm x 50mm, including terminals.	2
152	96301207- Circular Coil Apparatus	Labs Circular Copper Coil on Base A coil with 94 turns of 1 mm dia. 2 - 4mm Terminals for banana plugs Mounted on a 10 x 7" Plastic base Iron Filings not included, Unit: No:	1
153	96301206- Hydraulic Press Apparatus	Fluid Pressure Apparatus, Hydraulic Press Educational Lab Equipments is demonstrates the process of transmissibility of fluid pressure. It apparatus consist of the plated cylindrical tubes of different diameters fitted with piston and connected to each other through a tube at their bottom. Piston have circular disc at the top for loading masses. Mounted on base. , Unit: No:	1
154	96301205- Optical Bench	Made of Lasani Laminated Sheet Having Size 42" long 6" Width, Fitted Wooden Meter Scale Best Quality , Unit: No:	5
155	96301204- Chlorimeter	Calorimeter body for the heat equivalent device for determining the specific heat capacity of copper. With borehole for holding temperature sensor and with integrated heating element. Electric heater power: 10 V, 1 A Heating element connection: via 2-mm sockets Dimensions: approx. 50 mm x 48 mm dia. Weight: approx. 750 g, Unit: No:	2
156	96301203-Lens Stand	PP Materal With y shape iron 2mm x 3", Unit: No:	50
157	96301202-Pin Stand	PP Material With iron Pin 2mm x 3", Unit: No:	50
158	96301209- Aqurium	Size 1.5ft x1.5ft With Cover and wooden stand, Unit: Nos:	1
159	96301210- Aqurium Net	Made of Nylon Length of Rod Half Meter, Unit: Nos:	1
160	96301211-Balance Digital	Digital 0.0001gm 200gm Easy to read LED display with backlight, auto-0 Tracking, Low Battery Indicator in rechargeable Battery, SS Weighing Pan Dia 80mm Auto Colabration with extranal weight and over loading protection , Unit: Nos:	5


Head Mistress
Govt. Girls High School
Barkhan



161	96301212-Beaker	Low form with spout made of borosilicate glass. Graduated. 50ml (Qty=1), 100ml (Qty=1),250ml (Qty=1),500ml (Qty=1),1000ml (Qty=1)Pyrex-Japan or Equivalent, Unit: Set:	10
162	96301213-Bell Jar	150x200mm China or Equivalent, Unit: Nos:	10
163	96301214-Blades (Safety Razor)	7 O Clock or equivalent , Unit: Nos:	20
164	96301215-Bunsen Burner	The Burner Tube is made of brass and mounted on pressed steel powder coated base. Base dia. Is 80mm. overall height of burner 130mm burner tube dia. 12mm suitable for LPG/Butane gas with stopcock, Unit: No:	25
165	96301216-Spirit Lamp	Made of Glass 150ml Vick and Plastic Cover With Porcelaine Nozzle , Unit: Nos:	10
166	96301217-Conical Flask	made of borosilicate glass, Wide Mouth 250ml Pyrex-Japan 250ml Pyrex or Equivalent, Unit: Nos:	50
167	96301218-Cotton Wool	Surgical 500gm local, Unit: Nos:	4
168	96301219-Fire Extinguisher 1KG	Dry Chemical Fire extinguisher ABC Squeeze Grip Cartridge type of 2 KG capacity having rating of 3A,21B fitted with gunmetal cap, Co2 gas cartridge and hose with squeeze grip nozzle and supplied complete with initial charge as per IS:15683 with ISI mark and mounting brackets., Unit: No:	2
169	96301220-Differential Air Thermometer	Imported, Unit: Nos:	10
170	96301221-Dissecting Board	Made of Soft Wood Size 30"/20", Unit: Nos:	10
171	96301222- Dissecting Box	Set of 15 S.S MaterialPcs Leather carrying Case Export Quality, Unit: Nos:	20
172	96301223-Dissecting Tray With Wax	8x10" Local, Unit: Nos:	20
173	96301224-Dropper	3 ml Plastic China or Equivalent, Unit: Nos:	20
174	96301225-Funnel 4"	Made of borosilicate glass Having thick uniform wall heavy construction for greater mechanical strength and prolonged life with harder 4" Pyrex-Japan or equivalent, Unit: Nos:	30
175	96301226-Glass Tube	6mm Dia 50cm Length, Unit: Nos:	4
176	96301227-Inoculation Loop	Made of Brass Local, Unit: Nos:	6
177	96301228-Insect Net	30" Wooden Handle Iron Ring Hole 12" Depth 31" Pak or Equivalent, Unit: Nos:	10
178	96301229-Lens Paper	Whatman or Equivalent, Unit: Nos:	6
179	96301230-Light Source	Pak or Equivalent, Unit: Nos:	10
180	96301231-Magnifying Glass	75mm with Light China, Unit: Nos:	10
181	96301232-Measuring Cylinder	made of borosilicate glass hexagonal base with spout 100ml Pyrex or equivalent, Unit: Nos:	10


Govt. Girls High School
Barkhan



(ASPIRE)
پراجیکٹ منیجمنٹ یونٹ
محکمہ تعلیم
حکومت بلوچستان

182	96301233- Microscope	Total Magnification 50x1000x Eye Pieces: 5x10x Objective: 10,40,100x Eye Pieces Tube: Monocular Vertical Tube Illumination: Concave-Plan Reflector. Coarse adjustment range: 50mm Fine adjustment range: 1.8mm-2.2mm Working Stage: 120mmx120mm Optional: Electrical Illumination Stage Attachable Mechanical Stage 110X120mm/ 60X30mm Warranty: 2 Years.	3
183	96301234-Dissecting Microscope China	Total Magnification 20x Eye Pieces Tube Vertical Fixed / Natural Lamp Cross Adjustment 40mm Objective 2x in Foam Packing China Warranty: 2 Years Manufacturer Authorization is required, Unit: Nos:	2
184	96301235-Microscope Cover Slips	18x18mm China or Equivalent , Unit: Packet:	4
185	96301236-Microscope Slides	Pack of 72 Pcs 1x3" China or Equivalent, Unit: Packet:	4
186	96301237-Petri Dish	75mm Glass , Unit: Pair:	35
187	96301238-Graduated Pipette	10ml Germany or Equivalent, Unit: Nos:	10
188	96301239-Plant Pressure	Heavy Duty Wooden Finish in Paint Size 45x30cm , Unit: Nos:	4
189	96301240-Plate Glass	China or Equivalent, Unit: Nos:	6
190	96301241- Photometer	Mounted on Wooden/Plastic Base With PTFE Key Stop Cock by clip/ Dia of reservoir 20mmx1mm , Unit: Nos:	2
191	96301242-Preserved Speciman or Representative Animal	Mounted on Glass Jar , Unit: Nos:	40
192	96301243-Reagent Bottle	Borosilicate Glass 250ml China or Equivalent, Unit: Nos:	12
193	96301244- Speciman Jar	75x150mm China or Equivalent, Unit: Nos:	10
194	96301245-Stop Watch Metallic Analogue	Analogue Diamond 1/10 Second China or Equivalent, Unit: Nos:	2
195	96301246-Stopper Cork	Local, Unit: Nos:	20
196	96301247-Syringe 10ml	China or Equivalent, Unit: Nos:	10
197	96301248-Test Tube Rack	Polypropylene, White /blue color, autoclaveable and 6 place racks end supported by 2 columns. In the top plate has 2 holes for holding 25mm dia. Test tubes & four holes to hold 16mm dia.	8
198	96301249-Thermometer	-10 to 110c Yellow Back Zeal Uk or Equivalent, Unit: Nos:	10
199	96301250-Thermos Flask	Capacity 2 Ltr Taiwan or Equivalent, Unit: Nos:	5


Head Master
Govt. Girls High School
Barkhan



200	96301251-Emergency Eye Shower	Push handle activated, wall mounted eye/face wash unit Eye/face wash units are designed and intended to be installed in close range of persons working in a potentially hazardous area. The main purpose of these devices is to immediately deliver flushing fluid in sufficient volume to flush the eyes following exposure to injurious substances or heat Rinses eyes and face with clean water via twin spray nozzles, Unit: No:	1
201	96301252- Tripod Stand	Round Circle Shape Having 3 Legs Height 7" Made of Steel, Unit: No:	38
202	96301255-Cells of Onion Epidermis and Hydrilla Leaf Slide Carolina	Carolina USA or Equivalent, Unit: Nos:	2
203	96301256-Conjugation in Paramecium Slide Carolina	Carolina USA or Equivalent, Unit: Nos:	2
204	96301257-Onion Root Tip Slide Slide Carolina	Carolina USA or Equivalent, Unit: Nos:	2
205	96301258-Mitosis Slide Set	Carolina USA or Equivalent, Unit: Set:	2
206	96301259-Meosis Slide Set	Carolina USA or Equivalent, Unit: Set:	2
207	96301260-NerveCell Slide Carolina	Carolina USA or Equivalent, Unit: Nos:	2
208	96301261-Rhizopus and Mushroom Slide Carolina	Carolina USA or Equivalent, Unit: Nos:	2
209	96301254-Bacteria Slides	Carolina USA or Equivalent, Unit: Nos:	2
210	96301262-Section of mammalian Kidney Slide Carolina	Carolina USA or Equivalent, Unit: Nos:	2
211	96301263-Section of Animal Tissue Slide Carolina	Carolina USA or Equivalent, Unit: Nos:	2
212	96301264-Transverse Section of Artery, Vein and Capillary Slide Carolina	Carolina USA or Equivalent, Unit: Set of 3 Slides:	2
213	96301265-Transverse Section of Human Small Intestine Slide Carolina	Carolina USA or Equivalent, Unit: Nos:	2
214	96301266-Transverse Section of Leaf, Root, Steam of Brassica Carolina Slide	Carolina USA or Equivalent, Unit: Set of 3 Slides:	2
215	96301267-Transverse Section of Mammalian Air Sacs Carolina Slide	Carolina USA or Equivalent, Unit: Nos:	2
216	96301268-Transverse Section of Woody Carolina Slide	Carolina USA or Equivalent, Unit: Nos:	2


Govt. Girls High School
Barkhan



(ASPIRE)
پراجیکٹ منیجمنٹ یونٹ
محکمہ تعلیم
حکومت بلوچستان

217	96301269-Acetic Acid	Melting Point: 17c Boiling Point: 116-118c pH Value: 2.5 Cas No: 64-19-7 BRANDED, Unit: 2.5 Ltr:	1
218	96301270-Alcohol	M= 46.07g/mol Melting Point: 114.5c Boiling Point: 78.3c pH Value: 7 Cas No: 64-17-5 BRANDED, Unit: 2.5 Ltr:	1
	96301271-Ascorbic Acid	Prepared Solutions BRANDED, Unit: 2.5 Ltr:	1
220	96301272-Benedicts Solution	Prepared Solutions BRANDED, Unit: 2.5 Ltr:	1
221	96301273-Bromothymol Blue Solution	M= 624-38g/mol pH Value: 0.1g in 100ml Case No: 76.59-5 BRANDED, Unit: 2.5 Ltr:	3
222	96301274-Copper Sulfate Solution	M= 159.61g/mol pH Value: 4.2 Cas No: 7758.98.7 BRANDED, Unit: 2.5 Ltr:	3
223	96301275-Diastase	pH Value: 6.5-7.5 Cas No: 9000-90-2 BRANDED, Unit: 2.5 Ltr:	1
224	96301276-Deionized Water	Deionized Water, Unit: 2.5 Ltr:	1
225	96301277-Eosine Solution	pH Value: 0.5 BRANDED, Unit: 2.5 Ltr:	3
226	96301278-Ethanol	M= 46.07g/mol Melting Point: 114.5c Boiling Point: 78.3c pH Value: 7 Cas No: 64-17-5 BRANDED, Unit: 2.5 Ltr:	1
227	96301279-Formaline	Melting Point: 15c Boiling Point: 93.96 pH Value: 3-4 Flash Point: 84c BRANDED, Unit: 2.5 Ltr:	1
228	96301280-Glucose Solution 01%	01% Prepared Solution BRANDED, Unit: 2.5 Ltr:	2
229	96301281-Glycerine	M= 92.1g/mol Melting Point: 18c Boiling Point: 290c pH Value: 5 BRANDED, Unit: 2.5 Ltr:	1
230	96301282-Hydrogen Carbonate Indicator	BRANDED, Unit: 2.5 Ltr:	3
231	96301283-Iodine Solution	Prepared Solution BRANDED, Unit: 2.5 Ltr:	3
232	96301284-Litmus Water	Prepared Solution BRANDED, Unit: 2.5 Ltr:	3
233	96301285-Methyle Potassium Hydroxide Blue 01%	01% Prepared Solution BRANDED, Unit: 2.5 Ltr:	3
234	96301286-Starch	pH Value: 6.0.7 Cas No: 9005-84-9 BRANDED, Unit: 2.5 Ltr:	3
235	96301287-Sudan III Solution	M= 352.39g/mol Melting Point: 199c Cas No: 85-86-9 BRANDED, Unit: 2.5 Ltr:	5
236	96301288-Trypsin	pH Value: 7.5-9 Cas No: 9002-07-7 BRANDED, Unit: 2.5 Ltr:	5
237	96301289-Wax	Local, Unit: Kg:	1
238	96301290-Animal and Plant Cell Chart on Penaflex	4 Color Printed of 430gm Media Penaflex Sheet 200x300mm, Fitted Heavy Plastic/Wooden Roller and Hanging Thread for wall , Unit: No:	1


Govt. Girls High School
Barkhan



239	96301291-Biodiversity Chart Penaflex	4 Color Printed of 430gm Media Penaflex Sheet 200x300mm, Fitted Heavy Platic/Wooden Roller and Hanging Thread for wall , Unit: No:	1
240	96301292-Biogeochemical Cycles Chart Penaflex	4 Color Printed of 430gm Media Penaflex Sheet 200x300mm, Fitted Heavy Platic/Wooden Roller and Hanging Thread for wall , Unit: No:	1
241	96301293-Cell Division Chart Penaflex	4 Color Printed of 430gm Media Penaflex Sheet 200x300mm, Fitted Heavy Platic/Wooden Roller and Hanging Thread for wall , Unit: No:	1
242	96301294-Germination Chart Penaflex	4 Color Printed of 430gm Media Penaflex Sheet 200x300mm, Fitted Heavy Platic/Wooden Roller and Hanging Thread for wall , Unit: No:	1
243	96301295-Human Body System Chart Penaflex	4 Color Printed of 430gm Media Penaflex Sheet 200x300mm, Fitted Heavy Platic/Wooden Roller and Hanging Thread for wall , Unit: No:	1
244	96301296-Mandelian Genetics Chart	4 Color Printed of 430gm Media Penaflex Sheet 200x300mm, Fitted Heavy Platic/Wooden Roller and Hanging Thread for wall , Unit: No:	1
245	96301297-Mechanism of Enzyme Action chart	4 Color Printed of 430gm Media Penaflex Sheet 200x300mm, Fitted Heavy Platic/Wooden Roller and Hanging Thread for wall , Unit: No:	1
246	96301298-Plant Propagation Chart	4 Color Printed of 430gm Media Penaflex Sheet 200x300mm, Fitted Heavy Platic/Wooden Roller and Hanging Thread for wall , Unit: No:	1
247	96301299-Reflex ARC Chart	4 Color Printed of 430gm Media Penaflex Sheet 200x300mm, Fitted Heavy Platic/Wooden Roller and Hanging Thread for wall , Unit: No:	1
248	96301300-Sexual Reproduction in Plants Chart	4 Color Printed of 430gm Media Penaflex Sheet 200x300mm, Fitted Heavy Platic/Wooden Roller and Hanging Thread for wall , Unit: No:	1
249	96301301-Structure DNA Chart	4 Color Printed of 430gm Media Penaflex Sheet 200x300mm, Fitted Heavy Platic/Wooden Roller and Hanging Thread for wall , Unit: No:	1
250	96301302-Transport of Material in Plant Chart	4 Color Printed of 430gm Media Penaflex Sheet 200x300mm, Fitted Heavy Platic/Wooden Roller and Hanging Thread for wall , Unit: No:	1
251	96301303-DNA Chart	4 Color Printed of 430gm Media Penaflex Sheet 200x300mm, Fitted Heavy Platic/Wooden Roller and Hanging Thread for wall , Unit: No:	1
252	96301304-Human Brain Chart	4 Color Printed of 430gm Media Penaflex Sheet 200x300mm, Fitted Heavy Platic/Wooden Roller and Hanging Thread for wall , Unit: No:	1
253	96301305-Human Diaphragm and Intercostal Muscles	4 Color Printed of 430gm Media Penaflex Sheet 200x300mm, Fitted Heavy Platic/Wooden Roller and Hanging Thread for wall , Unit: No:	1
254	96301306-Human Ear Chart	4 Color Printed of 430gm Media Penaflex Sheet 200x300mm, Fitted Heavy Platic/Wooden Roller and Hanging Thread for wall , Unit: No:	1
255	96301307-Human Eye Chart	4 Color Printed of 430gm Media Penaflex Sheet 200x300mm, Fitted Heavy Platic/Wooden Roller and Hanging Thread for wall , Unit: No:	1
256	96301308-Human Kidney Chart	4 Color Printed of 430gm Media Penaflex Sheet 200x300mm, Fitted Heavy Platic/Wooden Roller and Hanging Thread for wall , Unit: No:	1
257	96301309-Human Skeleton Chart	4 Color Printed of 430gm Media Penaflex Sheet 200x300mm, Fitted Heavy Platic/Wooden Roller and Hanging Thread for wall , Unit: No:	1
258	96301310-Neuron Chart	4 Color Printed of 430gm Media Penaflex Sheet 200x300mm, Fitted Heavy Platic/Wooden Roller and Hanging Thread for wall , Unit: No:	1


Govt. Girls H.S. School
Barkhan



259	96301311-Pitcher Plant Chart	4 Color Printed of 430gm Media Penaflex Sheet 200x300mm, Fitted Heavy Platic/Wooden Roller and Hanging Thread for wall , Unit: No:	1
260	96301312-Sundrew Plant Chart	4 Color Printed of 430gm Media Penaflex Sheet 200x300mm, Fitted Heavy Platic/Wooden Roller and Hanging Thread for wall , Unit: No:	1
261	96301313-Slide Box	Microscopic Slide Box The Slots are well spaced for easy handling of 76x26mm Slide. Each Slot is clearly numbered and can be cross referenced with corresponding index card. Lids are totally removeable. The 100 Slides Box , Unit: Nos:	20
262	96301314-S Pully	Made of Brass S Shape , Unit: No:	50
263	96301315-Frog Skeleton	Original Bons Of Frog 1)Neurocranium 2) Maxilla 3) Mandible 4) Vertebrae 5) Urostyle 6)	10
264	96301316- Funnel Stand Ring	Casted base finish in blue/black with tapped hole 10x1.5mm metric thread in the centre of one short side.Base plate size (200mm X 125mm) rod height 12x400mm. Clamp and Boshead RING Material Stainless Steel Usage/Application Chemical Laboratory Shape Rectangular (Base Shape) Overall Height 490 mm Rod Diameter 14-16 mm , Unit: No:	20
265	96301317-Ocular	Ocular Micrometer 19mm Diameter eyepices 10mm Linear scale (100 Division), Unit: No:	20
266	96301318-Stage Micrometer	1X3" slide with linear targets etched into the glass 3 ranges: 10 mm / 100 to 0.1 mm (100 um) scale, 10 mm / 200 to 0.05 mm (50 um) scale and 1 mm / 100 to 0.01 mm (10µm) small scale, Unit: No:	20
267	96301319-Chromatography tank	Can be used with 10 x 10cm, 5 x 10cm or 10 x 20cm plates Centering baffle to support plates during development Supplied with lid Beveled edges and tops and bottoms ground flat, Unit: No:	2
268	96301320-Cheomatography Paper	material cellulose membrane sheets sterility non-sterile feature 1 CHR parameter 130 mm/30 min flow rate W x L 20 cm x 20 cm basis weight 87 g/m2, Unit: Sheet:	10
269	96301321-PO Box	Spring Plug, Brass , Unit: No:	1
270	96301322-Science Lab Stool	Stool structure made of MS Square Pipe (1"x1") 18 s.w.g duly powder coated in thick layer in color approved by PMU ended with black rubber foot caps for floor safety. Overall Height of stool with seat is 22". Seat made of seasoned Ash wood having moisture content up to 12%. Size of seat plank 12"x14"x3/4" slightly curve and hole in the center of seat of size 4"x1" finished with lacquer polish.Unit: No:	20
271	96301323- Safety Storage Cabinet	Wall mounted Lab storage cabinets made of 1.20 mm thick pre-treated galvanized iron sheets with epoxy powder coated finish. Wall-mounted lab storage cabinets with inner horizontal partitions and Size: 3 Feet length, 4 feet height. Each horizontal partition/shelf will be fitted in about 1 feet gap. Complete unit weight 60kg approx., Unit: No:	1
272	96301324-U Magnet	Red Blue 6cm x 5cm Magnet Grade N35, N38, N40, N42, N52, Unit: No:	5
273	96301325-Beaker Assorted	Low form with spout made of borosilicate glass. Graduated. 250ml (Qty=1), 500ml (Qty=1),1000ml (Qty=1) Pyrex or Equivalent, Unit: Set:	2
274	96301326-Compass	3/4" China or Equivalent, Unit: No:	34


Govt. Girls High School
Barkhan



275	96301327- Model of Human Skeleton	Exceptional value for money • 3 year guarantee • Top quality natural casting • Final assembly carried out by hand • Made from a durable, unbreakable synthetic material • On a stable metal stand with 5 casters (painted white) • Close to the realistic weight of around 200 bones • Natural skeleton size • 3 part assembled skull • Individually inserted teeth • Limbs can be removed quickly and easily • Skull with Pin connections, Unit: No:	1
276	96301328- Model Of Human Heart	heart model shows the anatomy of the human heart and is horizontally sectioned at the level of the valve plane. The following parts can be removed from heart: Esophagus Trachea Superior vena cava Aorta Front heart wall Upper half of the heart, Unit: No:	2
277	96301329- Model of Human Kidney	kidney section is a colorful and anatomically accurate model. The human anatomy model depicts a longitudinal section of the right kidney. All important structures of the human kidney for student and patient education are shown in this kidney section model. The kidney is three times life size, Unit: No:	2
278	96301330- Model of Human Lungs	transparent shell lung can observe the distribution of the bronchial tree. This model lung appearance with transparent plastic, tracheal and bronchial tree made from high quality PVC, Unit: No:	2
279	96301331-Solar System Small	Made of Good Quality of Plastic All Planets, i.e Mercury, Venus, Earth, Mars, Jupiter, Saturn, Uranus, Neptune, Along with Sun in Center of The Planets,, Unit: No:	2
280	96301332-Glass Slab	3"x2"x3/4" Pak or Equivalent, Unit: No:	10
281	96301333-Prism	2" Local, Unit: No:	10
282	96301334-Electroplating Set	Hanger With Copper Plate And Iron Plate ONE Bulb Holder Wire Cell Holder Dry Cells , Unit: No:	10
283	96301336-Magnifying Glass	75mm with Light China or Equivalent, Unit: No:	10
284	96301337-Charts	Diff Charts for Lab Made of Best Laminated Card Sheet 20x30, Heavy Plastic/Wooden Roller and Hanging Thread for wall , Unit: No:	10
285	96301338-Battery Cell holder	1.5 Volt Toshiba Japan or equivalent, plastic case with 2 cell, Unit: Sets:	10
286	96301339-Pin Stand	PP Material With iron Pin 2mm x 3", Unit: Sets:	20
287	96301340-Convex lens	Focal Length 1=10cm to 20cm, 25mm Dia Local, Unit: nos:	10
288	96301341-Lens stand	PP Material With y shape iron 2mm x 3", Unit: sets:	20
289	96301342-S Pulley	Made of Brass Pak or Equivalent, Unit: sets:	20
290	96301343-Drawing board	One Side Soft With Rubber Sheet Pak or Equivalent 12"x14", Unit: sets:	2
291	96301344-Optical Bench with Riders	Made of Lasani Laminated Sheet Having Size 42" long 6" Width, Fitted Wooden Meter Scale Best Quality, Unit: sets:	1
292	96301346-Iron Fillings	M=55.85g/mol Cas No: 7439-89-6, Unit: Botle:	2
293	96301012-Acetic Acid (Glacial)	Melting Point: 17c Boiling Point: 116-118c pH Value: 2.5 Cas No: 64-19-7 BRANDED, Unit: Litter:	2
294	96301013-Aluminium Foil	Aluminium roll, Thickness 0,006 – 0,020mm length 28cm, Unit: Roll:	1


Govt. Girls High School
Barkhan



(ASPIRE)
پراجیکٹ منیجمنٹ یونٹ
محکمہ تعلیم
حکومت بلوچستان

295	96301014-Ammonium Chloride	M=53.49g/mol Melting Point: 335c pH Value: 4.5-5.5 Cas No: 12125-02-9 BRANDED, Unit: Kg:	1
296	96301015-Ammonium Nitrate	M= 80.04g/mol melting point: 169c, Boiling point: 302c pH Value: 5.0-5.5 Cas No: 6484-52-2 BRANDED, Unit: Kg:	1
297	96301016-Barium Chloride or Any Salt of Barium	M=244.28 g/mol, Melting point: 963c, Boiling point: 1560c. Cas No: 10326-27-9 BRANDED, Unit: Kg:	1
298	96301017-Bromothymole Blue	M= 624.40g/mol Cas No: 76-59-5 BRANDED, Unit: 25Gram:	3
299	96301018-Calcium Carbonate	M= 100.09g/mol Melting point: 825c, pH Value: 9.5-10.5 Cas No: 471-34-1 BRANDED, Unit: Kg:	1
300	96301019-Calcium Chloride or Any Salt	M= 147.02g/mol Melting Point: 176c pH Value: 4.5-8.5 Cas No: 10035-04-8 BRANDED, Unit: 500Gram:	1
301	96301020-Calcium Hydroxide	M= 74.09g/mol Melting point: 550c. Boiling point 2850c, pH Value: 12.6 Cas no: 1305-62-0 BRANDED , Unit: 500Gram:	1
302	96301021-Cinnamic Acid	M=148.16g/mol Melting Point: 132.-136c Boiling Point: 300c pH Value: 3-4 Cas No: 140-10-3 BRANDED, Unit: 100Gram:	3
303	96301022-Concentrated Hydrochloric Acid	Melting Point: -40c Boiling Point: 83.90c BRANDED, Unit: Litter:	1
304	96301023-Copper Chloride or Any Salt of Cu	M=98.99.g/mol Melting Point: 422c Boiling Point: 1367c pH Value: 5 Cas No: 7758-89-6 BRANDED, Unit: 100Gram:	3
305	96301024-2,4 Dinitrophenyl Hydrazine	M= 198.14g/mol Boiling Point: 378.6c Cas No: 10101-41-4 BRANDED, Unit: 5Gram:	5
306	96301025-Distilled Water	Di Ionized, Unit: 25 Litter:	2
307	96301026-Ethanol	M= 46.07g/mol Melting Point: 114.5c Boiling Point: 78.3c pH Value: 7 Cas No: 64-17-5 BRANDED, Unit: Litter:	1
308	96301027-Fehlings Solution	A&B Prepared Solution, Unit: 500ML:	2
309	96301028-Ferric Chloride	M=270.33g/mol Melting Point: 37c Cas No: 10025-77 BRANDED, Unit: 250Gram:	1
310	96301029-Fructose	M= 180.5g/mol Melting Point: 100-110c Boiling Point: 146c pH Value: 5-6 Cas No: 57-48-7 BRANDED, Unit: 250Gram:	1
311	96301030-Glucose	M= 198.7g/mol pH Value: 6.7 Cas No: 14431-43-7 BRANDED, Unit: 250Gram:	1
312	96301031-Iodine Crystal	M= 253.8g/mol Melting Point: 114c Boiling Point: 185c Cas No: 755-3-56-2 BRANDED, Unit: 100Gram:	5
313	96301032-Lime Water	Lab Grade, Unit: Litter:	2
314	96301033-Litmus Solution	pH Value: 7 Cas No: 1393-92-6 BRANDED, Unit: Litter:	2

Head Teacher
Govt. Girls High School
Barikhan



(ASPIRE)
پراجیکٹ منیجمنٹ یونٹ
محکمہ تعلیم
حکومت بلوچستان

315	96301034-Magnesium Hydroxide	M= 485g/mol Melting Point: 600c pH Value: 10.5 Cas No: 1309-428 BRANDED, Unit: 500Gram:	1
316	96301035- Methanol	M= 32-04g/mol Melting Point: -98c Boiling Point: 64-5c Flash Point: 15.6 Cas No: 67-56-1 BRANDED, Unit: Litter:	1
317	96301036-Methyl Orange	M= 327.34g/mol Melting Point: 300c pH Value: 6.5 Cas No: 547-58-0 BRANDED, Unit: 10Gram:	3
318	96301037-Nitric Acid	Boiling Point: 122c Melting Point: -41c BRANDED, Unit: Litter:	1
319	96301038-Oil	Sunflower Loal, Unit: Kg:	1
320	96301039- Oxalic Acid	M= 126-07g/mol Melting Point: 101c Boiling Point: 149c pH Value: 1 Flash Point: 15c Cas No: 6153-56-6 BRANDED, Unit: 250Gram:	1
321	96301040- Phenol Solution	M= 94.11g/mol Melting Point: 40.8c Boiling Point: 181.8c pH Value: 5 Flash Point: 85c Cas No: 108-95-2 BRANDED, Unit: Litter:	1
322	96301041- Phenolphthalien	M= 318-32g/mol Melting Point: 263-7c Cas No: 77-09-8 BRANDED, Unit: 10Gram:	3
323	96301048-Sodium bi Carbonate	M= 84.01g/mol Melting Point: 270c pH Value: 8.6 Cas No: 144-55-8 BRANDED, Unit: 250Gram":	1
324	96301082-Graduated Cylinder	made of borosilicate glass hexagonal base with spout 100ml Pyrex-Japan or Equivalent, Unit:No:	20
325	96301083-Graduated Flask	made of borosilicate glass with graduation mark fitted with glass stopper 250ml Pyrex-Japan or Equivalent, Unit: No:	20
326	96301083-Graduated Flask	made of borosilicate glass with graduation mark fitted with glass stoper 500ml Pyrex-Japan or Equivalent, Unit: No:	10
327	96301135-Slotted Weight With Hanger	Set of 5x20gm 100gm Made of Brass Pak or Equivalent Unit: Set:	5
328	96301313-Slide Box	Microscopic Slide Box The Slots are well spaced for easy handling of 76x26mm Slide. Each Slot is clearly numbered and can be cross referenced with corresponding index card. Lids are totally removeable. The 25 Slides Box , Unit: No:	20
329	96301195-Plain Mirror Stand	Glass size 2''x4'' Belgium or Equivalent Good Quality Plastic Stand, Unit: No::	60


Head Mistress
Govt. Girls High School
Barkhan